

Menustrip.mui

1. [Super class](#)
2. [Background](#)
3. [Attributes](#)
4. [Methods](#)
5. [MUIA Menustrip CaseSensitive](#)
6. [MUIA Menustrip Enabled](#)
7. [MUIM Menustrip ExitChange](#)
8. [MUIM Menustrip InitChange](#)
9. [MUIM Menustrip Popup](#)

Menustrip.mui

Super class

[Family.mui](#)

Background

Menustrip class is the base class for MUI's object oriented menus. Its children are objects of Menu class, each of them describes exactly one menu.

A Menustrip object doesn't feature many options itself, but as a subclass of Family class, it simply acts as father for multiple Menu objects.

The Menustrip object is usually specified as a child of either Application class or Window class with the attributes [MUIA Application Menustrip](#) or [MUIA Window Menustrip](#).

Attributes

Attribute	Version	ISG	Type
MUIA Menustrip CaseSensitive	V20	I.G	BOOL
MUIA Menustrip Enabled	V8	ISG	BOOL

Methods

Method	Version
MUIM Menustrip ExitChange	V20
MUIM Menustrip InitChange	V20
MUIM Menustrip Popup	V20

MUIA_Menustrip_CaseSensitive

NAME

MUIA_Menustrip_CaseSensitive — V20 [I.G], BOOL, 0x8042d718

FUNCTION

Set this attribute to TRUE in case the menu strip is using items with the same upper and lower case shortcuts, i.e. 'a' and 'A'. Otherwise MUI will not be able to distinguish between the two and will most probably find the upper case shortcut only and trigger the corresponding action.

Defaults to FALSE.

MUIA_Menustrip_Enabled

NAME

MUIA_Menustrip_Enabled — V8 [ISG], BOOL, 0x8042815b

FUNCTION

Enable or disable the complete menu strip.

MUIM_Menustrip_ExitChange

NAME

MUIM_Menustrip_ExitChange — V20, 0x8042ce4d

SYNOPSIS

```
DoMethod(obj, MUIM_Menustrip_ExitChange);
```

FUNCTION

Terminates MUIM_Menustrip_InitChange state.

SEE ALSO

MUIM_Menustrip_InitChange

MUIM_Menustrip_InitChange

NAME

MUIM_Menustrip_InitChange — V20, 0x8042dcd9

SYNOPSIS

```
DoMethod(obj, MUIM_Menustrip_InitChange);
```

FUNCTION

Prepares a menustrip for dynamic adding/removing of items. MUI 3 offers the possibility to dynamically add/remove items from menustrips, even when the window that contains these items is currently open. To be able to do this, you must first put the menustrip into a special "exchange" state by using this method. Then, you can add/remove item at will. When you're done, use MUIM_Menustrip_ExitChange to make MUI relayout the menustrip.

EXAMPLE

```
DoMethodstrip MUIM_Menustrip_InitChange

    DoMethodstrip OM_REMEMBER someitem
    DoMethodstrip OM_REMEMBER someitem2

    DoMethodstrip OM_ADDMEMBER somenewitem

    DoMethodstrip MUIM_Menustrip_ExitChange
```

SEE ALSO

MUIM_Menustrip_ExitChange

MUIM_Menustrip_Popup

NAME

MUIM_Menustrip_Popup — V20, 0x80420e76

SYNOPSIS

```
DoMethod(obj, MUIM_Menustrip_Popup, Object *parent, ULONG flags, LONG x, LONG y);
```

FUNCTION

Open a menustrip for user input even without active user interaction.

INPUTS

Object *parent

the parent object relative to which the menustrip will be opened.

ULONG flags

none defined yet, set to 0.

LONG x

additional horizontal offset which will be added to the parent object's left coordinate.

LONG y

additional vertical offset which will be added to the parent object's top coordinate.

RESULT

Returns the MUIA_UserData attribute of the selected item.

Copyright © 1992-2006 by Stefan

Stuntz

Copyright © 2006-2018 by Thore

Böckelmann, Jens Maus

MUI for AmigaOS -

MUI-Autodocs

Updated: 06-Dec-2018